All circled are considered

	L #	Hits	Search Text	DBs
1	L1	1916	watermark$3	USPAT
2	L2	9719	(buy$3 or purchas$3 or shopper) and (sell$3)	USPAT
3	L3	240	1 and 2	USPAT
4	L4	422467	match$3	USPAT
5	L5	204	3 and 4	USPAT
6	L6	162	pattern$3 and 5	USPAT
(7)	L7	6	sift$3 and 6	USPAT
8	L8	143690	(alter$3 or alternat$5 or insert$3 or delet$3 or modif$7) same (pattern)	USPAT
(9)	L9	122	5 and 8	USPAT
10	L10	118	9 and (copy or copyright)	USPAT
11	L11	105	6 and ascii	USPAT
(12)	L12	83	11 and checksum	USPAT
(13)	L13	1	12 and printable	USPAT
(14)	L14	79	9 and 12	USPAT
15	L15	76372	(alter$3 or alternat$5 or insert$3 or delet$3 or modif$7) with (pattern)	USPAT
16	L16	330	1 and 15	USPAT
17	L17	274	16 not 9	USPAT
18	L18	350	watermark$3 with pattern	USPAT
19	L19	107	18 and 15	USPAT
(20)	L20	101	19 not 9	USPAT
21	L21	0	2 and 20	USPAT
(22)	L22	3	20 and ascii	USPAT
23	L23	4645	watermark$3	US-PGPUB; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L24	37917	(alter$3 or alternat$5 or insert$3 or delet$3 or modif$7) with (pattern)	US-PGPUB; DERWENT; IBM_TDB
25	L25	16064	(buy$3 or purchas$3 or shopper) and (sell$3)	US-PGPUB; DERWENT; IBM_TDB
26	L26	38	23 and 24 and 25	US-PGPUB; DERWENT; IBM_TDB
27	L27	1768	watermark$3	EPO; JPO
28	L28	11188	(alter$3 or alternat$5 or insert$3 or delet$3 or modif$7) with (pattern)	EPO; JPO
29	L29	14	27 and 28	EPO; JPO

	L #	Hits	Search Text	DBs
1	L1	14198	query and search$3	USPAT
2	L2	618	seller and buyer and match$3	USPAT
3	L3	180	1 and 2	USPAT
4	L4	0	catogor$8 and 3	USPAT
5	L5	110	categor$8 and 3	USPAT
6	L6	56	5 and hierarch$6	USPAT
7	L7	27	taxonomy and ontology	USPAT
8	L8	19	7 and 1	USPAT
9	L9	2	8 and 2	USPAT

	L #	Hits	Search Text	DBs
1	L1	6406	checksum	USPAT
2	L2	16488	compar$5 with sum	USPAT
3	L3	1101	compar$5 with checksum	USPAT
4	L4	1235	1 and (2 or 3)	USPAT
5	L5	92	4 and copyright	USPAT
6	L6	7	5 and watermark$3	USPAT

	L #	Hits	Search Text	DBs
1	L1	29628	(insert$3 or modif$8 or edit$3) with (character or ASCII or letter)	USPAT
2	L2	20099	underlin$3 or underscor$3	USPAT
3	L3	1586	1 and 2	USPAT
4	L4	853	3 and pattern	USPAT
5	L5	270	1 same 2	USPAT
6	L6	147	1 with 2	USPAT
(7)	L7	93	6 and pattern	USPAT
8	L8	553	(insert$3) with 2	USPAT
9	L9	130	8 and 1	USPAT
10	L10	9764	(insert$3) with (character or ASCII or letter)	USPAT
11	L11	104	9 and 10	USPAT
(12)	L12	69	11 and pattern	USPAT
(13)	L13	51	(insert$3) with underscor$3	USPAT

	L #	Hits	Search Text	DBs
1	L2	0	(add$3 or insert$3) with 1	USPAT
2	L3	25	(add$3 or insert$3) and 1	USPAT
3	L4	58001	insert$3 with (character or number or letter)	USPAT
4	L5	1116	(print$6) with ascii	USPAT
5	L6	242	4 and 5	USPAT
6	L7	1916	watermark$3	USPAT
7	L8	0	6 and 7	USPAT
8	L9	113	6 and pattern	USPAT
9	L10	19	(non adj print$5) and 9	USPAT
10	L1	31	(non adj print$5) with ascii	USPAT
11	L11	6	1 not 3	USPAT
12	L12	8	(non adj print$5) with ascii	US-PGPUB; DERWENT; IBM_TDB
13	L13	1	(non adj print$5) with ascii	EPO; JPO
14	L14	45	(non adj print$5) same ascii	USPAT
15	L15	14	14 not 1	USPAT
16	L16	59769	insert$3 with (character or number or letter or text)	USPAT
17	L17	5	15 and 16	USPAT